Application No. <u>10/006,368</u> Amendment dated November 17, 2006 Page 2

## Amendments to the Claims:

The following claims will replace all prior versions of the claims in this application (in the unlikely event that no claims follow herein, the previously pending claims will remain):

- 1-18. (Cancelled).
- 19. (Currently amended) A composition comprising:

  a metal working fluid comprising an ester according to the formula
  represented by the following:

wherein

- X is an aliphatic hydrocarbyl group having 5-11 carbon atoms;
- Y is an alkylene group having 4-6 carbon atoms;
- Z is an a saturated linear aliphatic hydrocarbyl group having 4 carbon atoms and
- n is a weight average number between 1.5 and 10.
- 20. (Cancelled).
- 21. (Currently amended) The metal working fluid composition of claim 19 wherein the metal working fluid further comprising comprises an oil selected from a mineral oil, a vegetable oil, or an animal oil.
- 22. (Currently amended) The metal working fluid composition of claim 19 wherein the metal working fluid further comprising comprises a surfactant.
- 23. (Currently amended) The metal working fluid composition of claim 19 wherein the metal working fluid further comprising comprises an emulsifier.

- 24. (Currently amended) The metal working fluid composition of claim 19 wherein the metal working fluid further comprising comprises a corrosion inhibitor.
- 25. (Currently amended) The metal working fluid composition of claim 19 wherein the metal working fluid further comprising comprises water.
- 26. (Currently amended) The metal working fluid composition of claim 19 wherein the metal working fluid further comprising comprises a metal deactivator.
- 27. (Currently amended) The metal working fluid composition of claim 19 wherein the metal working fluid further comprising comprises an anti-foam agent.
- 28. (Currently amended) The metal working fluid composition of claim 19 wherein the metal working fluid further comprising comprises an anti-oxidant.
- 29. (Currently amended) The metal working fluid composition of claim 19 wherein the metal working fluid having has a kinematic viscosity at 100°C less than 20mm<sup>2</sup>/s and a kinematic viscosity at 40°C of less than 150mm<sup>2</sup>/s.
- 30. (New) The composition of claim 19, wherein n is a weight average number between 1.5 and 5.
- 31. (New) The composition of claim 19, wherein X is a saturated and linear aliphatic hydrocarbyl group having 7-9 carbon atoms, and wherein Y is a saturated and branched alkylene group having 4-6 carbon atoms.
- 32. (New) A composition comprising:a metal working fluid comprising an ester represented by the following:

$$X - C - O - Y - (O - C - Z - C - O - Y)_n - O - C - X$$

Application No. <u>10/006,368</u> Amendment dated November 17, 2006 Page 4

- X is an aliphatic hydrocarbyl group having 5-11 carbon atoms;
- Y is an alkylene group having 4-6 carbon atoms;
- Z is an a saturated linear aliphatic hydrocarbyl group having 4 carbon atoms and
- n is a weight average number between 1.5 and 10; and wherein the ester has a kinematic viscosity less than 150 cst at 40°C.